



# SERIES 1206 - SINGLE-POLE SLIDE SWITCHES

TO 8 (8) A 250 V AC



## PRODUCT FEATURES

- Powerful up to 25 A at 12-36 V DC
- Single-pole slide switch optionally with fastening strip
- For direct and indirect actuation
- Dust protected
- Castable

## ON REQUEST

- Other colors
- Other terminal types
- For snapping on customized slides

Mechanical life endurance	1E5
Actuator	IP 40
Material actuator housing terminals	PA glass fiber-reinforced PA glass fiber-reinforced silver plated
Approval marks	
Suitable for appliances of protection class II	

ROCKER SWITCHES

PUSHBUTTON SWITCHES

TOGGLE SWITCHES

SLIDE SWITCHES

ROTARY SWITCHES

FOOT SWITCHES

TACT AND KEY SWITCHES

SNAP-ACTION SWITCHES

MICRO-SIGNAL SWITCHES

SENSORS

ECO


PUSH-IN DRIVE




# SERIES 1206 - SINGLE-POLE SLIDE SWITCHES

TO 8 (8) A 250 V AC


single-pole	Actuator color / printing	Housing color	8 (8) A 250 V AC 5E4	25 A 12 - 36 V DC	15 A 125 V AC	8 A 250 V AC	Terminal type	Contact distance (mm)	Contact material	Miscellaneous	Stock version
ON / OFF switch (SPST)											
1206.0201			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		≥ 3	Ag	with slide for direct actuation	
1206.2503			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		≥ 3	Ag	with slide for direct actuation	



Basic type 1206




Solder terminal  
1206.0201



PCB terminal  
1206.2503

Further information under  
[WWW.MARQUARDT-SWITCHES.COM](http://WWW.MARQUARDT-SWITCHES.COM)

# MARQUARDT INTERNATIONAL.



## HEADQUARTERS

### Marquardt Mechatronik GmbH

Schloss-Straße 16  
78604 Rietheim-Weilheim / GERMANY  
Tel. +49 (0)74 24/99-0  
Fax +31 (0)74 24/99-2399  
marquardt@marquardt.com  
[www.marquardt.com](http://www.marquardt.com)

## Geuken



## DISTRIBUTOR

### GEUKEN B.V.

Wattstraat 25a  
2723 RA Zoetermeer / NETHERLANDS  
Tel. +31 (0)79 361 60 70  
Fax +31 (0)79 361 40 90  
info@geuken.nl  
[www.geuken.nl](http://www.geuken.nl)