

ST7-E ST9-E

MULTISYSTEM evo



FDV 2

1 - 9500-.../...-ST7-E

CODE	L mm [ft]	
9500-1/...-ST7-E	1000 [3.28']	
9500-2/...-ST7-E	2000 [3.28']	
9500-3/...-ST7-E	3000 [3.28']	

1 - 9500-.../...-ST9-E

CODE	L mm [ft]	
9500-1/...-ST9-E	1000 [3.28']	
9500-2/...-ST9-E	2000 [3.28']	
9500-3/...-ST9-E	3000 [3.28']	

2 - USE

Suspended

3 - FIXING

1

With clamps

2

With brackets

2

3

M max: 0,5 Nm

DISTRIBUTED LOAD

2000

1 kg 1 kg 1 kg 1 kg 1 kg 1 kg 1 kg 1 kg 1 kg 1 kg Σ10kg

MAX LOAD

max 900

25Kg

450 450

36Kg

4

9501-S...

SEE ADAPTERS WIRING INSTRUCTIONS!

9501-S...


9501-S...

5


M max: 1 Nm

6





4 - 9503...



5 - CUTTING





6 - 9501-S/...-E




7 - 90° ANGLE



WITH 9511...





8 - ≠ 90° ANGLE



1





2



9 - WALL CEILING 90° ANGLE



1



2

